Chemical Geology, 91 (1991) 373–374
Elsevier Science Publishers B.V., Amsterdam

Contents Volume 91, 1991

Research Papers

The origin of the Kupferschiefer-type mineralization in the Richelsdorf Hills, Germany, as deduced from stable isotope and organic geochemical studies
A. Bechtel (Bonn, Federal Republic of Germany) and W. Püttmann (Aachen, Federal Republic of Germany) 1
Trace element geochemistry and petrogenesis of some meta-ultramafites in Apomu and Ife-Ilesa areas of southwestern Nigeria
O.A. Ige and O.I. Asubiojo (Ile-Ife, Nigeria) 19
Tourmaline K–Ar ages compared to other radiometric dating systems in Alpine anatectic leucosomes and metamorphic rocks (Cyclades and southern Spain)
P.A.M. Andriessen, E.H. Hebeda, O.J. Simon and R.H. Verschure (Amsterdam, The Netherlands) 33
The natural calibration of $^{18}O/^{16}O$ geothermometers: application to the quartz–rutile mineral pair
P. Agrinier (Paris, France) 49
Complex series of pentacyclic triterpanes in a lacustrine sourced oil from Korea Bay Basin
S.D. Killops and V.J. Howell (Egham, U.K.) 65

Announcement 81

Special Issue "Trace Metals in Petroleum Geochemistry", by J.F. Branthaver and R.H. Filby (Guest-Editors)

Preface, by R.H. Filby and J.F. Branthaver (Guest-Editors) iii

Vanadium accumulation in carbonaceous rocks: A review of geochemical controls during deposition and diagenesis
G.N. Breit and R.B. Wanty (Denver, Colo., U.S.A.) 83
Organically bound metals and biomarkers in the Monterey Formation of the Santa Maria Basin, California
J.R. Odermatt and J.A. Curiale (Brea, Calif., U.S.A.) 99
Trace metal speciation in Julia Creek oil shale
A.V. Hirner and Z. Xu (München, Federal Republic of Germany) 115
A neodymium isotopic study of crude oils and source rocks: potential applications for petroleum exploration
L.K. Manning (Pullman, Wash., U.S.A.), C.D. Frost and J.F. Branthaver (Laramie, Wyo., U.S.A.) 125
Porphyrin distributions in crude oils from the Jianghan and Biyang basins, China
J.H. Chen and R.P. Philp (Norman, Okla., U.S.A.) 139
The Henryville bed of the New Albany Shale, IV. Tandem mass spectrometric analyses of geoporphyrins from the bitumen of the demineralised shale
M.A. Concha, J.M.E. Quirke (Miami, Fla., U.S.A.), B.D. Beato, R.A. Yost (Gainesville, Fla., U.S.A.), G.E. Mercer and R.H. Filby (Pullman, Wash., U.S.A.) 153
Comparison of the spectroscopic properties of metalloporphyrins
K.D. Stanley, R. Lopez de la Vega, J.M.E. Quirke (Miami, Fla., U.S.A.), B.D. Beato and R.A. Yost (Gainesville, Fla., U.S.A.) 169
Carbon number, pyrrolic structure and sequencing information of porphyrin structure in one experiment by desorption tandem mass spectrometry — relevance for geoporphyrins
B.D. Beato, R.A. Yost (Gainesville, Fla., U.S.A.) and J.M.E. Quirke (Miami, Fla., U.S.A.) 185
Porphyrin analysis and coal rank — Porphyrin Index of Coalification for bituminous coals
R. Bonnett (London, U.K.), F. Czechowski (Wroclaw, Poland) and P.S. Hughes (London, U.K.) 193

0009-2541/91/$03.50 © 1991 Elsevier Science Publishers B.V. All rights reserved.

Research Papers

Gas geochemistry of geothermal fluids, the Hengill area, southwest rift zone of Iceland
B. Marty (Paris, France), E. Gunnlaugsson (Reykjavik, Iceland), A. Jambon (Paris, France), N. Oskarsson (Reykjavik, Iceland), M. Ozima (Tokyo, Japan), F. Pineau (Paris, France) and P. Torssander (Stockholm, Sweden) 207

Subalkaline andesite from Valu Fa Ridge, a back-arc spreading center in southern Lau Basin: petrogenesis, comparative chemistry, and tectonic implications
T.L. Vallier (Menlo Park, Calif., U.S.A.), G.A. Jenner (St. John's, Nfld., Canada), F.A. Frey (Cambridge, Mass., U.S.A.), J.B. Gill (Santa Cruz, Calif., U.S.A.), A.S. Davis (Menlo Park, Calif., U.S.A.), A.M. Volpe (Los Alamos, N.M., U.S.A.), J.W. Hawkins (La Jolla, Calif., U.S.A.), J.D. Morris (Washington, D.C., U.S.A.), P.A. Cawood (St. John's, Nfld., Canada), J.L. Morton, D.W. Scholl (Menlo Park, Calif., U.S.A.), M. Rautenschlein (Mainz, Federal Republic of Germany), W.M. White (Ithaca, N.Y., U.S.A.), R.W. Williams (Santa Cruz, Calif., U.S.A.), A.J. Stevenson and L.D. White (Menlo Park, Calif., U.S.A.) 227

Ti/Nb ratios of clastic terrigenous sediments used as an indicator of provenance
J.-L. Bonjour and M.-P. Dabard (Rennes, France) 257

Heavy metal concentrations in surface sediments from the two coastal inlets (Golden Horn Estuary and İzmit Bay) of the northeastern Sea of Marmara
M. Ergin, C. Saydam, O. Baştürk, E. Erdem and R. Yörük (Erdemli, Içel, Turkey) 269

Reactions of clay condensates with n-alkanes: comparison between clay volatiles and clay condensates
I. Miloslavski, L. Heller-Kallai and Z. Aizenshtat (Jerusalem, Israel) 287

Ruthenium tetroxide oxidation of natural organic macromolecules: Messel kerogen
G. Standen, R.J. Boucher, J. Rafalska-Bloch and G. Eglinton (Bristol, U.K.) 297

Organic geochemistry of Venezuelan extra-heavy crude oils, 2. Molecular assessment of biodegradation
F. Cassani and G. Eglinton (Bristol, U.K.) 315

Comparison of the geochemistry of ophiolitic pyroxenites with a strongly fractionated dyke of pyroxenite from the Sakhakot-Qila ophiolite, Pakistan
Z. Ahmed (Quetta, Pakistan) 335

Nd and Pb isotopic constraints on the origin of the Purtuniq ophiolite and Early Proterozoic Cape Smith Belt, northern Québec, Canada
E. Hegner and M.L. Bevier (Ottawa, Ont., Canada) 357

Contents Volume 91, 1991 373